

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Teragren, LLC

12715 Miller Road NE, Bainbridge Island, WA, USA; Longyu XinYuan Bamboo and Wooden Products Co., Ltd, Xikou Industry Zone, Longyu, Zhejiang Province, China;
Zhejiang XinYuan Bamboo Products Co., Ltd. , Tanghe Bridge, Hanggai Town, Zhejiang Province, China

For the following product(s):

See Addendum

This product meets all of the necessary qualifications to be certified for the following claim:

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Wallcovering.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Registration # SCS-IAQ-01879

Valid from: February 1, 2015 to January 31, 2016



INDOOR ADVANTAGE GOLD
BUILDING MATERIALS



ANSI ACCREDITED PROGRAM
PRODUCT CERTIFICATION
#0821

A handwritten signature in blue ink that reads "Robert J. Hrubes".

Robert J. Hrubes, Ph.D., Executive Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

SCSglobal
SERVICES

Certification Addendum

Teragren, LLC

Certification: Registration # SCS-IAQ-01879 | Valid from: February 1, 2015 to January 31, 2016

Addendum **Indoor Advantage™ Gold**

Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Wallcovering.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Products:

Bamboo Panels and Veneer:

Xcora® Strand Bamboo, Pureform™ Traditional Vertical Grain Bamboo, Pureform™ Traditional Flat Grain Bamboo

Includes Unfinished and Prefinished product manufactured with formaldehyde-free (EPI) adhesive for conformance to all parameters. Phenol-formaldehyde and EPI/Phenol-formaldehyde combination adhesives can be used for conformance to the school classroom parameter only.